



# **SOLVENT SILICONE ADHESIVE WHITE PET**

(SO820WST)

- HP LATEX Profiled

Profiled Only

### **Details**

- · Premium white polyester film for window décor with silicone adhesive
- · High quality image reproduction with outstanding color expression
- · Silicone adhesive : 3R Reposition, Removable, no Residue upon removal
- · Universal top coating layer for Sol, Eco-sol, Latex, UV curable inks
- · Easy to apply and peel as needed
- \* Installation tip

Handle with gloves to avoid marks during printing. Not suitable for uneven surfaces. Clean surface before applying.

Not recommended for outdoor use.

Wet mount recommended for larger applications.

### **Specifications**

Length (ft)	100	Width (inch)	50", 54"
Weight (gsm)	240	Coating	Resin
Caliper (mil)	7.6	Base Material	WHITE PET
Inner Core (inch)	3	Printer	SELW
Surface	Semi - matte		

# **KEY FEATURES**

- Primum quality white polyester film
- Universal printing compatibility
- Silicone adhesive with no residue upon removal
- Wet or dry application

## **Application**

· Retail window advertisements, indoor window advertisements, retail identification signs, residential interiors, Office privacy, glass partitions and cubicles

## **General Information**

- $\cdot$  Printing Temp : Temperature 15  $^{\sim}$  30 $^{\circ}$ C (59  $^{\sim}$  86  $^{\circ}$ F) / Humidity 30  $^{\sim}$  60%
- · Lamination : Optional
- · Storage : Recommended to store in closed original packing in a cool  $10 \sim 30^{\circ}\text{C}$  (50  $\sim 77^{\circ}\text{F}$ ) and dry environment. (Humidity  $35 \sim 65\%$  RH)
- · Shelf Life: One year, stored in original packing at recommended temperature (Coating warranty guaranteed for 6 months from date of purchase)

#### How to buy:

- · Please call 1-470-359-2111 to place an order or visit www.naturamedia.us for additional information.
- · ICC Profiles are available by calling the above number.

Information provided here is subject to our test criteria and subject to change without prior notice. No media warranty is implied. All material should be tested by purchaser to determine final suitability. Printer and ink change may affect results.